

| Sec  | tion 1: Identification of  | the substance                    | e/mixture and of the company/undertaking  |  |
|------|--|----------------------------------|---|--|
| 1.1  | Product identifier   | the substance                    |   |  |
| 1.1  | IUPAC Nomenclature<br>Synonyms   | MIXTURE ARGON/CARBON DIOXIDE     |   |  |
|      | CAS number   | n.a. (this is a n                | nixture)  |  |
|      | EINECS number  | n.a. (this is a n                | nixture)  |  |
|      | Index number   | n.a. (this is a n                | nixture)  |  |
|      | Registration number  |                                  | es that compose the mixture are exempted from Registration according to the Article 2(7)(a) and Annex IV of REACH |  |
| 1.2  | Relevant identified uses of the substance or mixture and uses advised against<br>Relevant identified uses: technical gas - industrial use. Welding applications<br>Uses advised against: all those not identified as relevant. |                                  |   |  |
| 1.3  | Details of the supplier of the   | safety data sheet                |   |  |
|      | Supplier<br>Street address   | EUROTRE S.r.I<br>Via A. Volta, 1 | 2/13  |  |
|      | Country<br>Tolophono number  | 42024 CASTEL<br>+39 0522 4850    | NOVO SOTTO (RE) – ITALY   |  |
|      | Telephone number<br>Fax  | +39 0522 4850                    |   |  |
|      | e-mail address   | hsse@eurotre                     |   |  |
| 1.4  | Emergency telephone numbe  | er                               |   |  |
|      | +39 0522 485054  | (working hour                    | s)  |  |
| Seci | tion 2: Hazards identific  | cation                           |   |  |
| 2.1  | Classification of the substanc   | e or mixture                     |   |  |
|      | Classification according to Re<br>Press. Gas, H280   | gulation (EC) No 12              | 272/2008 [CLP]  |  |
| 2.2  | Label elements   |                                  |   |  |
|      | Hazard pictogram(s)  | $\diamond$                       |   |  |
|      | Signal word  | Warning                          |   |  |
|      | Hazard statement(s)  | H280:                            | Contains gas under pressure; may explode if heated  |  |
|      | Precautionary statement(s)   | P410 + P403:                     | Protect from sunlight. Store in a well-ventilated place   |  |
| 2.3  | Other hazards  |                                  |   |  |
|      |  |                                  |   |  |

\* Do no expose to temperatures exceeding 50°C/ 122°F.

| Sezione 3: c     | omposizione/     | /informazione       | sugli ingredienti                |                     |                       |   |
|------------------|------------------|---------------------|----------------------------------|---------------------|-----------------------|---|
| 3.1 Mixture      |                  |                     |                                  |                     |                       |   |
| CAS number       | EINECS<br>number | Index number        | Numero di registrazione<br>REACH | %<br>[by mass]      | IUPAC Nomenclature    | Classification<br>Regulation (EC) No<br>1272/2008 (CLP) |
| 7440-37-1        | 231-147-0        | note a              | note b                           | 80 <u>&lt;</u> C<98 | ARGON                 | Press. Gas, H280  |
| 124-38-9         | 204-696-9        | note a              | note b                           | 2 <u>&lt;</u> C<20  | CARBON DIOXIDE        | Liq. Gas <i>,</i> H280                                  |
| note a: substanc | e exempted from  | Registration accord | ding to the provisions of A      | vrticle 2(7)(a)     | and Annex IV of REACH |   |

note b: substance not included in Annex VI

# Section 4: First aid measures

4.1 Description of first aid measures

Do not give anything by oral to the victim.

Evacuate the victim from the danger area to a ventilated area.

- Inhalation: Remove victim to uncontaminated area wearing self contained breathing apparatus. Call a doctor. Apply oxyn or artificial respiration if breathing stopped.
- Skin contact: not expected to present a significant skin hazard under anticipated conditions of normal use
- Eyes contact: not expected to present a significant skin hazard under anticipated conditions of normal use
- Ingestion: is not considered a potential route of exposure

### 4.2 Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Remove victim to uncontaminated area wearing self contained breathing apparatus. Apply artificial respiration if breathing stopped.

- 4.3 Indication of any immediate medical attention and special treatment needed
  - \* For any doubt or persistent symptoms, call a doctor.



### **ARGON/CARBON DIOXIDE**

### Section 5: Firefighting measures

Extinguishing media 5.1

- All known extinguishing can be used.
- 5.2 Special hazards arising from the substance or mixture
  - Fire exposure can cause the breaking and explosion of the cylinder(s).

5.3 Advice for firefighters

- In confined space use self-contained breathing apparatus
- Move away from the container and cool with water from a protected position.

If possible, stop flow of products.

### Section 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures 6.1 Evacuated unnecessary personnel. Ensure adequate air ventilation. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. 6.2 **Environmental precautions**
- Try to stop release.
  - Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
- 6.3 Methods and material for containment and cleaning up If the cylinder loss and it can not be stopped, bring the cylinder outdoors, in a ventilated area, and after that empty it in the atmosphere.
- 6.4 Reference to other sections
  - For information regarding personal protection and disposal considerations see section 8 and 13.

### Section 7: Handling and storage

#### 7.1 Precautions for safe handling

- Do not eat, drink and/or smoke in the working areas or plants.
  - For container handling, use proper personal protective equipment such as safety shoes and gloves.
- Do not allow back feed into the cylinder.

Suck back of liquids into the container must be prevented.

Use only properly specified equipments which are suitable for this product.

- Open slowly the valve to avoid pressure blows.
- Avoid the direct contact of the product.

Handle carefully the cylinders, thus avoiding violent collisions between them or against other surfaces, as well as falls and other mechanical strains susceptible to damage their integrity/resistance.

Contact your supplier if in doubt.

#### Conditions for safe storage, including any incompatibilities 7.2

Cylinders should not be stored in conditions likely to encourage corrosion.

Store cylinders in location free from fire risk and away from sources of heat and ignition.

- Keep cylinders below 50°C in a well ventilated place.
- 7.3 Specific end use(s).

Technical gas - industrial use. Welding applications.

### Section 8: Exposure controls/personal protection

### Control parameters 8.1

| 8.1.1 | Threshold values:       |  |
|-------|-------------------------|--|
|       | Refer to carbon dioxide | Threshold values (IT) 8 hours [ppm]: 5000                |
|       |                         | Threshold values (IT) 8 hours [mg/m <sup>3</sup> ]: 9000 |

| Exposure controls   |  |  |
|---|--|--|
| 8.2.1 Avoid under-oxygenated atmospheres (O2<18%). In high concentrations may cause asphyxiation.<br>Ensure suitable ventilation. |  |  |
|   |  |  |
| Eye/face protection:  | Use safety glasses and face shield in accordance with EN 166   |  |
| Skin protection:  | Use gloves according to EN 388   |  |
| Respiratory protection:   | No special respiratory protection equipment is recommended under normal conditions of use  |  |
|   | with adequate ventilation.   |  |
|   | Avoid under-oxygenated atmo<br>Ensure suitable ventilation.<br>Ensure skin and eyes protection<br>Eye/face protection:<br>Skin protection: |  |

In case of release, please refer to the point 6.1



### ARGON/CARBON DIOXIDE

| Secti | on 9: Physica <mark>l</mark> an | d chemical prope           | erties               |                                    |                                       |                       |
|-------|---------------------------------|----------------------------|----------------------|------------------------------------|---------------------------------------|-----------------------|
| 9.1   | Information on basic            | physical and chemical      | properties           |                                    |                                       |                       |
| a)    | Appearance                      |                            | Co                   | lorless gas                        |                                       |                       |
| * b)  | Odour                           |                            | Oc                   | dorless                            |                                       |                       |
| * c)  | Odour threshold                 |                            | Oc                   | our threshold is subjectiv         | ve and is inadequate to w             | arn of over exposure. |
| d)    | рН                              |                            | No                   | ot applicable                      |                                       |                       |
| e)    | Melting point / freez           | ing point                  | Ar                   | gon: -189,34 °C                    |                                       |                       |
|       |                                 |                            |                      | rbon dioxide: Sublimat             | ion -78,5 °C                          |                       |
| f)    | Initial boiling point and       | d boiling range            | Ar                   | gon: -186°C (1,013 bar)            |                                       |                       |
|       |                                 |                            |                      | rbon dioxide: Sublimat             |                                       |                       |
| * g)  | Flash point                     |                            |                      | ot applicable to gases ar          |                                       |                       |
| * h)  | Evaporation rate                |                            | Nc                   | ot applicable to gases ar          | nd gas mixture.                       |                       |
| i)    | Flammability (solid, g          |                            | Nc                   | o flammable                        |                                       |                       |
| j)    |                                 | oility or explosive limits |                      | o flammable                        |                                       |                       |
| k)    | Vapour pressure                 |                            |                      | ot applicable                      |                                       |                       |
| I)    | Vapour density                  |                            | Ar                   | gon: 5.7722 kg/m (1.0              | 13 bar at boiling point)              |                       |
|       |                                 |                            |                      | gon: 1.6903 kg/m <sup>3</sup> (1.0 |                                       |                       |
|       |                                 |                            |                      | -                                  | ;/m <sup>3</sup> (1.013 bar at 15 °C) |                       |
| m)    | Relative density (air=          | :1)                        |                      | gon: 1,38                          |                                       |                       |
|       |                                 |                            |                      | rbon dioxide: 1,52                 |                                       |                       |
| n)    | Solubility(ies)                 |                            |                      | gon: 67 mg/l (15 °C; 1,0           |                                       |                       |
| ,     | D                               |                            |                      | rbon dioxide: 1.7163 vc            | ol/vol (0 °C; 1.013 bar)              |                       |
| o)    | Partition coefficient:          |                            |                      | ot available                       |                                       |                       |
| p)    | Auto-ignition temper            |                            |                      | ot applicable                      |                                       |                       |
| q)    | Decomposition temp              | erature                    |                      | ot applicable                      | 1.012 h = = = 0.80                    |                       |
| r)    | Viscosity                       |                            |                      | gon: 2.1017E-04 Poise (            |                                       | $\sim$                |
| -     |                                 |                            |                      |                                    | 04 Poise (1.013 bar e 0 °0            | L)                    |
| s)    | Explosive properties            |                            |                      | explosive                          |                                       |                       |
| t)    | Oxidising properties            |                            | NC                   | ot applicable                      |                                       |                       |
| 9.2   | Other information               |                            | - · · · ·            |                                    |                                       |                       |
|       |                                 | Critical                   | Critical pressure    | Critical density                   | Triple point                          | Triple point          |
|       | A                               | temperature (°C)           | (bar)                | kg/m <sup>3</sup>                  | (temperature)                         | (pressure)            |
|       | Argon                           | -122.46                    | 48.63                | 535.6                              | -189.34 °C                            | 0.687 bar             |
|       | Carbon dioxide                  | 30,98                      | 73.77                | 467.6                              | -56.56 °C                             | 5.187 bar             |
| Secti | on 10: Stability a              | and reactivity             |                      |                                    |                                       |                       |
| 10.1  | Reactivity                      |                            |                      |                                    |                                       |                       |
| *     | Inert gas.                      |                            |                      |                                    |                                       |                       |
|       | U U                             | other than the effects     | described in sub-sec | tion below.                        |                                       |                       |
|       |                                 |                            |                      |                                    |                                       |                       |

10.2 Chemical stability

Stable under normal conditions

| 10.3 | Possibility of hazardous reactions                   |
|------|--|
|      | None   |
| 10.4 | Conditions to avoid                                  |
| *    | Keep away from heat/sparks/open flames/hot surfaces. |
| 10.5 | Incompatible materials                               |

\* No reaction with any common materials in dry or wet conditions.

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11: Toxicological information

11.1 Information on toxicological effects

- \* b) skin corrosion/irritation: based on available data, the classification criteria are not met.
- \* c) serious eye damage/irritation: based on available data, the classification criteria are not met.
- \* d) respiratory or skin sensitisation: based on available data, the classification criteria are not met.
- \* e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- \* f) carcinogenicity: based on available data, the classification criteria are not met.
- \* g) reproductive toxicity: based on available data, the classification criteria are not met.
- \* h) STOT-single exposure: based on available data, the classification criteria are not met.
- \* i) STOT-repeated exposure: based on available data, the classification criteria are not met.

<sup>10.6</sup> Hazardous decomposition products

a) acute toxicity: no known toxicological effects from this product



| * j) aspiration hazard: not applicable to gases and | gas mixtures. |
|---|---------------|
|---|---------------|

| · ])  | aspiration nazaru: not applicable to gases and gas mixtures.   |
|-------|--|
| Secti | on 12: Ecological information  |
| 12.1  | Toxicity   |
|       | No known ecological damage caused by this product.   |
| 12.2  | Persistence and degradability  |
|       | No data available.   |
| 12.3  | Bioaccumulative potential  |
| *     | The product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment. |
| 12.4  | Mobility in soil   |
| *     | The substance is a gas, not applicable.  |
| 12.5  | Results of PBT and vPvB assessment   |
| *     | Not classified as PBT or vPvB.   |
| 12.6  | Other adverse effects  |
| *     | No ecological damage caused by this product.   |
|       |  |
| Secti | on 13: Disposal considerations   |

### 13.1 Waste treatment methods

Do not discharge into any place where its accumulation could be dangerous, but in atmosphere or well ventilated area. Our gas cylinders are not refillable. If your cylinder must be destroyed, consult distributor or supplier for specific recommendations.

Refer to section 6 and 7 for handling and action of inadvertent leakage of the waste.

| Sectio | on 14: Transport information   |  |  |  |
|--------|--|--|--|--|
| 14.1   | UN number  |  |  |  |
|        | UN 1956  |  |  |  |
| 14.2   | UN proper shipping name  |  |  |  |
|        | COMPRESSED GAS, N.O.S. (Argon / Carbon dioxide)  |  |  |  |
| 14.3   | Transport hazard class(es)   |  |  |  |
|        | 2.2  |  |  |  |
| 14.4   | Packing group  |  |  |  |
|        | n.a.   |  |  |  |
| 14.5   | Environmental hazards  |  |  |  |
| 116    | n.a.   |  |  |  |
| 14.6   | Special precautions for user<br>Avoid transport on vehicles where the load space is not separated from the driver's compartment. |  |  |  |
|        | Assure that the drivers knows the potential dangers of the loading and he is able to operate in case of emergency.               |  |  |  |
|        | Ensure that the cylinders are firmly secured.  |  |  |  |
| 14.7   | Transport in bulk according to Annex II of Marpol and the IBC Code   |  |  |  |
|        | n.a.   |  |  |  |
|        | Additional information   |  |  |  |
|        | Sea transport  |  |  |  |
|        | EMS: F-C, S-V<br>Proper Shipping name: COMPRESSED GAS, N.O.S. (Argon / Carbon dioxide)   |  |  |  |
|        |  |  |  |  |
|        | Air transport:<br>Cargo Pkg Inst: 200  |  |  |  |
|        | Max Net Qty/Pkg: 150kg   |  |  |  |
|        | Passenger Pkg Inst: 200  |  |  |  |
|        | Max Net Qty/Pkg: 75kg  |  |  |  |
|        | ERG Code: 2L   |  |  |  |
| Sectio | on 15: Regulatory information  |  |  |  |
| 15.1   | Safety, health and environmental regulations/legislation specific for the substance or mixture                                   |  |  |  |
|        | Seveso directive 2012/18/UE: not covered.  |  |  |  |
| 15.2   | Chemical safety assessment   |  |  |  |
|        | A CSA does not need to be carried out for this product   |  |  |  |



### Section 16: Other information

The symbol \* indicates that the information has been updated to the current revision.

### GENERAL BIBLIOGRAPHY:

- 1. (EC) Regulation no. 1907/2006 of the European Parliament (REACH)
- 2. (EC) Regulation no. 1272/2008 of the European Parliament (CLP)
- 3. Guideline "Assogastecnici" Edition May 2010
- 4. ESIS: European chemical Substances Information System
- 5. European Industrial Gases Association (EIGA) Doc. 169 Classification and Labelling guide

### Remark for the User:

The information on this sheet is based on the available knowledge at the time of our last revision.

The user must make sure that information is appropriate and complete for the specific product destination.

This document cannot be considered as a warranty for specific properties of the product.

As product use does not fall on our direct control, the user must bear full responsibility for complying with all the rules and regulations in force relating to hygiene and safety. We disclaim any responsibility for improper uses.