



Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600017
- · Trade name: Nitro-universal thinner E-COLL
- · Article number: 4317784349253, 4317784349246, 4330816995907, 4317784527514
- · UFI: GYST-39GN-AA01-UFGH
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Application of the substance / the mixture

Solvents

Cleaning thinner

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 hour emergency service - phone: +49 (0) 6131/19240

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 1)

#### · Hazard pictograms





GHS02 GHS07

#### · Signal word Danger

#### · Hazard-determining components of labelling:

acetone ethyl acetate

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

# · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

# CAS: 67-64-1 acetone 25-50% EINECS: 200-662-2 index number: 606-001-00-8 Flam. Liq. 2, H225 Index number: 01-2119471330-49-xxxx index number: 606-001-00-8 Eye Irrit. 2, H319; STOT SE 3, H336





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 2) 25-50%

CAS: 141-78-6 EINECS: 205-500-4

Index number: 607-022-00-5

Flam. Liq. 2, H225
Eye Irrit. 2, H319; STOT SE 3, H336

Reg.nr.: 01-2119475103-46-xxxx EUH066

ethyl acetate

Regulation (EC) No 648/2004 on detergents / Labelling for contents

aliphatic hydrocarbons 30 % and more

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Try not to vomit. Swallow activated carbon and sodium sulphate.

# · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### · 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary oedema.

EU -





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 3)

#### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

### · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

### · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO)

#### · 5.3 Advice for firefighters

### · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Mount respiratory protective device.

#### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

Suppress gases/fumes/haze with water spray.

Prevent seepage into sewage system, workpits and cellars.

# · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose of the material collected according to regulations.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 4)

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid splashes or spray in enclosed areas.

Restrict the quantity stored at the work place.

#### · Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may form in empty receptacles.

Danger of explosion if fluid enters the sewage system.

Protect from heat.

Keep respiratory protective device available.

Use explosion-proof apparatus / fittings and spark-proof tools.

Handle only outside or in explosion protected rooms.

Do not spray onto a naked flame or any incandescent material.

### · 7.2 Conditions for safe storage, including any incompatibilities

### · Storage:

#### · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide floor trough without outlet.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in a cool place.

Store under lock and key and with access restricted to technical experts or their assistants only.

Store only outside or in explosion proof rooms.

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

# · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

CAS: 67-64-1 acetone

IOELV Long-term value: 1210 mg/m³, 500 ppm

(Contd. on page 6)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 5)

#### CAS: 141-78-6 ethyl acetate

IOELV Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

#### · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

Do not carry product impregnated cleaning cloths in trouser pockets.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Pregnant women should strictly avoid inhalation or skin contact.

Apply solvent resistant skin cream before starting work.

#### · Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

#### · Hand protection



Protective gloves

#### Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Check the permeability prior to each anewed use of the glove.

To avoid skin problems reduce the wearing of gloves to the required minimum.

### · Material of gloves

Fluorocarbon rubber (Viton)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

# · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 6)

· Not suitable are gloves made of the following materials:

Strong material gloves Leather gloves Natural rubber, NR Nitrile rubber, NBR PVC gloves

· Eye/face protection



Tightly sealed goggles

· Body protection: Solvent resistant protective clothing

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Clear

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 55 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 2.1 Vol %
Upper: 13 Vol %
Flash point: <-4 °C</li>
Auto-ignition temperature: 460 °C

Decomposition temperature:pHNot determined.Not determined.

· Viscosity:

· Kinematic viscosity Not determined.

Kinematic: 23 °C - 4 mm (ISO 2431)

• **Dynamic:** Not determined.

· Solubility

• water: Not miscible or difficult to mix.

247 hPa

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C:

· Density and/or relative density

Density at 20 °C:

 Relative density
 Vapour density

 O.84 g/cm³
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

(Contd. on page 8)





Version number 307 (replaces version 306) Revision: 08.01.2025 Printing date 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 7)

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent separation test:

· Organic solvents: 100 %

· Change in condition

· Drip point:

Not determined. Oxidising properties · Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void

· Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void Void Void Void

· Oxidising liquids · Oxidising solids Organic peroxides Corrosive to metals Void Desensitised explosives Void

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 9)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 8)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 values relevant for classification: |         |                       |
|---|---------|-----------------------|
| CAS: 67-64-1 acetone                          |         |                       |
| Oral  | LD50    | 5,800 mg/kg (rat)     |
| Dermal  | LD50    | 20,000 mg/kg (rabbit) |
| Inhalative                                    | LC50/4h | 76 mg/m³ (rat)        |
| CAS: 141-78-6 ethyl acetate                   |         |                       |
| Oral  | LD50    | 5,620 mg/kg (rabbit)  |
| Inhalative                                    | LC50/4h | 1,600 ppm (rat)       |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 9)

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity:

# CAS: 67-64-1 acetone

LC50 (96h) 5,000 mg/L (Lepomis macrochirus)

LC50/48h 8,800 mg/l (Daphnia magna)

NOEC 430 mg/l (algae)

NOEC/16h 1,700 mg/l (Pseudomonas putida)

NOEC/48h 4,740 mg/l (Pseudokirchneriella subcapitata)

96h LC50 5,540 mg/l (Oncorhynchus mykiss)

- 12.2 Persistence and degradability biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods:
- · European waste catalogue

07 03 04\* other organic solvents, washing liquids and mother liquors

### **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

UN1993





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 10)

· 14.2 UN proper shipping name

· ADR UN1993 FLAMMABLE LIQUID, N.O.S. (ACETONE,

ETHYL ACETATE)

· IMDG, IATA FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHYL

ACETATE)

· 14.3 Transport hazard class(es)

· ADR



· Class 3 (F1) Flammable liquids.

· Label 3

· IMDG, IATA



· Class 3 Flammable liquids.

· Label 3

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Flammable liquids.

Hazard identification number (Kemler code):
 EMS Number:
 Stowage Category

33
F-E,S-E
B

· 14.7 Maritime transport in bulk according to IMO

**instruments** Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)Excepted quantities (EQ)Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Transport category 2 Tunnel restriction code D/E

(Contd. on page 12)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 11)

· IMDG

· Limited quantities (LQ)

• Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE,

ETHYL ACETATE), 3, II

### **SECTION 15: Regulatory information**

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

· UN "Model Regulation":





GHS02 GHS07

· Signal word Danger

# · Hazard-determining components of labelling:

acetone

ethyl acetate

### · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · Chemical safety assessment

- · Named dangerous substances ANNEX I Methanol
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

(Contd. on page 13)





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 12)

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

CAS: 67-64-1 acetone

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 67-64-1 acetone

3

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# · Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Product safety department

· Contact: sdb@ede.de

Date of previous version: 09.08.2021
Version number of previous version: 306

# Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2





Printing date 08.01.2025 Version number 307 (replaces version 306) Revision: 08.01.2025

Trade name: Nitro-universal thinner E-COLL

(Contd. of page 13)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 $\cdot$  \* Data compared to the previous version altered.

EU —