

Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600068
- · Trade name: Universal Cutting Oil E-COLL
- · Article number: 4317784015554, 4317784015561, 4317784040426, 4317784243513
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU21 Consumer uses: Private households / general public / consumers

- · Application of the substance / the mixture Lubricant
- · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

• Further information obtainable from: Product safety department

## · 1.4 Emergency telephone number:

Poison Control Center Mainz - 24 hour emergency service - phone: +49 (0) 6131/19240

## **SECTION 2: Hazards identification**

## · 2.1 Classification of the substance or mixture

## · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

## · 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

## · Hazard pictograms Void

· Signal word Void

## · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

## Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

Trade name: Universal Cutting Oil E-COLL

(Contd. of page 1)

## · 2.3 Other hazards

## · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

## · 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-211948627-25-xxxx 01-2119471299-27	Distillates (petroleum), hydrotreated heavy paraffinic	50-100%
CAS: 95-38-5 EINECS: 204-414-9 Reg.nr.: 01-2119777867-13-xxxx	<ul> <li>2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol</li> <li>STOT RE 2, H373</li> <li>Skin Corr. 1C, H314</li> <li>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H312</li> </ul>	0.25-<1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Personal protection for the First Aider.
- · After inhalation: Supply fresh air.
- · After skin contact: Rinse with warm water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

EU -

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

Trade name: Universal Cutting Oil E-COLL

(Contd. of page 2)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Well cosed, protected from light.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

EU •



Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

Trade name: Universal Cutting Oil E-COLL

(Contd. of page 3)

## **SECTION 8: Exposure controls/personal protection**

## · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic		
Inhalative	DNEL (worker)	5.6 mg/m <sup>3</sup> (professional use)
	DNEL (population)	1.2 mg/m³ (cus)

• Additional information: The lists valid during the making were used as basis.

## · 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

## · Individual protection measures, such as personal protective equipment

## · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist.

• Respiratory protection: Not necessary if room is well-ventilated.

## · Hand protection



Protective gloves

## · Material of gloves

Chloroprene rubber, CR Nitrile rubber, NBR Penetration time (min.) : >480 min.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

## • Eye/face protection Safety glasses

(Contd. on page 5)

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

Trade name: Universal Cutting Oil E-COLL

(Contd. of page 4)

· Body protection: Protective work clothing

## **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical and chemica</li> <li>General Information</li> </ul>	l properties
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
	Undetermined.
<ul> <li>Melting point/freezing point:</li> <li>Boiling point or initial boiling point and boiling</li> </ul>	
•••••••	Undetermined.
range · Flammability	
· Lower and upper explosion limit	Not applicable.
· Lower:	
	0.9 Vol % 7 Vol %
· Upper:	>190 °C
Flash point:     Decomposition tomporature:	
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	$22 - 2^{2/2}$
Kinematic viscosity at 40 °C     Kinematic: 23 °C     Amm (ISO 2424)	22 mm²/s
· Kinematic: 23 °C - 4 mm (ISO 2431)	Not determined.
<ul> <li>Dynamic:</li> <li>Solubility</li> </ul>	Not determined.
•	Not missible or difficult to miss
• water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	
Vapour pressure:	Not determined.
Density and/or relative density	0.07 m/om3
Density at 20 °C:	0.87 g/cm <sup>3</sup>
· Relative density	Not determined. Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Drip point:	
· Oxidising properties	Not determined.
· Evaporation rate	Not determined.
<ul> <li>Information with regard to physical hazard</li> </ul>	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
	(Contd. on page



Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

## Trade name: Universal Cutting Oil E-COLL

		(Contd. of page 5)
<ul> <li>Flammable solids</li> </ul>	Void	
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

## · 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

## · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic		
Oral	LD50	>2,000 mg/kg (rat) (OCED 401)
Dermal	LD50	>2,000 mg/kg (rabbit) (OCED 402)
	NOEC(14d)	≥1,000 mg/l (Fis)
CAS: 95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol		
Oral	LD50	1,256 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)

## · Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

## Trade name: Universal Cutting Oil E-COLL

(Contd. of page 6)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

## · 12.1 Toxicity

•	Aqu	Jatic	tox	icity:
---	-----	-------	-----	--------

CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic		
LC50 (96h)	>100 mg/L (Pimephales promelas) (OCED 203)	
EC50 (48h)	>10,000 mg/L (Daphnia magna) (OECD 202)	
CAS: 95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol		
LC50 (96h)	0.3 mg/L (Brachydanio rerio)	
EC50/72h	0.03 mg/l (Desmodesmus subspicatus)	
EL50/48h	0.136 mg/l (Daphnia galeata)	

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

## · 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

## · 12.7 Other adverse effects

## · Additional ecological information:

## · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

(Contd. of page 7)

Trade name: Universal Cutting Oil E-COLL

Do not allow product to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods:

## · European waste catalogue

12 01 09\* machining emulsions and solutions free of halogens

12 01 07\* mineral-based machining oils free of halogens (except emulsions and solutions)

SECTION 14: Transport information	
<ul> <li>· 14.1 UN number or ID number</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> </ul>	Void UN-
· ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class · Label · ADN/R Class:	Void - Void
<ul> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> </ul>	No
<ul> <li>· 14.6 Special precautions for user</li> <li>· Hazard identification number (Kemler code):</li> </ul>	Not applicable. -
<ul> <li>14.7 Maritime transport in bulk according to IM instruments</li> <li>UN "Model Regulation":</li> </ul>	D Not applicable. UN-, -

## SECTION 15: Regulatory information

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- $\cdot$  Hazard pictograms Void
- · Signal word Void
- Hazard statements H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.09.2024

Version number 308

Revision: 23.09.2024

## Trade name: Universal Cutting Oil E-COLL

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

## · Exposure scenario(s)

Exposure scenario(s) of ingredients (if present) are available on request at: sdb@ede.de

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- Department issuing SDS: Product safety department
- · Contact: Head of Product Safety Department
- Date of previous version: 08.01.2024

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1C: Skin corrosion/irritation – Category 1C STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

#### \* \* Data compared to the previous version altered.



(Contd. of page 8)